








| | | | |
|--|--|---------------------------------|--------------------------|
| Form PTO-1449 (MODIFIED) | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. 018792/0177 | SERIAL NO. 09/697,590 |
|  INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | APPLICANT Fitzpatrick et al. | |
| | | FILING DATE 10/27/2000 | GROUP ART UNIT 1643 |


U.S. PATENT DOCUMENTS


| EXAMINER INITIAL | REF | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB- CLASS | FILING DATE IF APPROPRIATE |
|--|-----|--------------------|-------|--------------------|-------|---------------|----------------------------------|
|  | A1 | 4,816,567 | 03/89 | Cabilly et al. | 530 | 387 | |
|  | A2 | 5,084,559 | 01/92 | Profy | 530 | 387 | |
|  | A3 | 5,100,788 | 03/92 | Lofdahl et al. | 435 | 69.7 | |
|  | A4 | 6,013,763 | 01/00 | Braisted et al. | 530 | 317 | |
|  | A5 | 5,948,634 | 09/99 | De la Monte et al. | 435 | 69.1 | |





FOREIGN PATENT DOCUMENTS




| | REF | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB- CLASS | TRANSLATION | |
|--|-----|--------------------|-------|---------|-------|---------------|-------------|----|
| | | | | | | | YES | NO |
|  | A6 | 90/06993 | 06/90 | WIPO | | | | |





OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)



| | | | |
|---|-----|---|--|
|  | A7 | Motter et al., "Reduction of β -Amyloid Peptide ₄₂ in the Cerebrospinal Fluid of patients with Alzheimer's Disease", Annals of Neurology, 38(4):643-648, (1995), Amer. Neurological Assoc. | |
| | A8 | Molsa et al., "Validity of clinical diagnosis.in dementia: a prospective clinicopathological study", J. Neuro. & Psych, 48:1085-1090, (1985), British Medical Assoc. | |
| | A9 | Rocca et al. "Epidemiology of Clinically Diagnosed Alzheimer's Disease", Ann. Neurol 19:415-424, (1986), Nat'l. Inst. Of Health | |
| | A10 | Burns et al. "Accuracy of clinical diagnois of Alzheimer's disease", 301:1026, (1990), Inst. Of Psychiatry | |
| | A11 | Risse et al., "Neuropathological findings in patients with clinical diagnoses of probable alzheimer's disease", Am. J. Psychiatry 147(2):168-172, (1990), Amer. Psychiatric Assoc. | |
| | A12 | Gilleard et al., "The St. George's dementia bed investigation study: a comparison of clinical and pathological Diagnosis", Acta Psychiatrica Scandinavica, 85(4):264-269, 1992, Dept. of Geriatric Medicine | |
| | A13 | Mendez et al., "Clinically diagnosed Alzheimer Disease: Neuropathologic findings in 650 Cases", Alzheimer Disease and Assoc. Disorders, 6(1):35-43, 1992, Raven Press, Ltd. | |
| | A14 | Fleming et al., "Dementia: Diagnosis and Evaluation", Mayo Clin. Proc. 70:1093-1107, (1995), Mayo Foundtn. For Medical Education Research | |
| | A15 | Bloom et al., "Diagnosis and evaluation of dementia", Neurology 45:211-218, (1995), Amer. Academy of Neurology | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| | |
|---|---------------------------|
| EXAMINER  | DATE CONSIDERED 1-3-03 |
| * EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include any copy of this form with next communication to applicant. | |

| | | | | | | | | |
|---|---|---|--|---------------------------------|---------------------------|--------------------------|--|--|
| Form PTO-1449 (MODIFIED) | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY. DOCKET NO. 018792/0177 | | SERIAL NO. 09/697,590 | | |
|  | | | | APPLICANT Fitzpatrick et al. | | | | |
| | | | | FILING DATE 10/27/2000 | | GROUP ART UNIT 1643 | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | |
|  | A16 | Bowler et al., "Fallacies in the pathological confirmation of the diagnosis of Alzheimer's disease", Neurol. Neurosurg Psychiatry, 64:18-24, (1998), BMJ Publishing Group | | | | | | |
| | A17 | Jost et al. "The natural History of Alzheimer's Disease: A Brian Bank Study", JAGS 43:1248-1255, (1995) The American Geriatrics Society | | | | | | |
| | A18 | Growdon et al., Ronald & Nancy Reagan "Consensus report of the working group on: "Molecular and Biochemical Markers of Alzheimer's Disease", Neurobiology of Aging, 19(2):109-116, (1998), Elsevier Sci. Inc. | | | | | | |
| | A19 | Myers et al., "Apolipoprotein E ε4 association with dementia in a population-based study", Neurology 46:673-677, 1996, American Academy of Neurology | | | | | | |
| | A20 | Pirttila et al., "Soluble amyloid β-protein in the cerebrospinal fluid from patients with Alzheimer's disease, Vascular dementia and controls", J. of Neurological Sciences, 127:90-95, (1994), Elsevier Science B.V. | | | | | | |
| | A21 | Arai et al., "Tau in Cerebrospinal Fluid: A potential diagnostic marker in Alzheimer's Disease", Ann. Neurol. 38:649-652, (1995), Amer. Neurological Assoc. | | | | | | |
| | A22 | Jensen et al., "Increased cerebrospinal fluid tau in patients with Alzheimer's disease", Neuroscience Letters, 186:189-191, (1995), Elsevier Science Ireland Ltd. | | | | | | |
| | A23 | Munroe et al., "Tau Protein in Cerebrospinal Fluid as an Aid in the Diagnosis of Alzheimer's Disease" Annals of Clinical & Laboratory Science, 25(3):207-217, (1995), Inst. For Clinical Science, Inc. | | | | | | |
| | A24 | Tato et al., "Tau protein concentrations in cerebrospinal fluid of patients with dementia of the Alzheimer type", J. of Neurology, Neurosurgery, & Physchiatry, 59(3):280-283 (1995), BMJ Publishing Group | | | | | | |
| | A25 | T. Iwatsubo, "Amyloid β Protein in Plasma as a Diagnostic marker for Alzheimer's Disease", Neurobiology of Aging, 19(2):161-163, (1998), Elsevier Science Inc. | | | | | | |
| | A26 | Vigo-Pelfrey et al., "Elevation of microtubule-associated protein tau in the cerebrospinal fluid of patients with Alzheimer's disease", Neurology 45:788-793, (1995), Advanstar Communications inc. | | | | | | |
| | A27 | Nitsch et al., "Cerebrospinal fluid levels of Amyloid β-Protein in Alzheimer's disease: Inverse correlation with Severity of Dementia and effect of Apolipoprotein E Genotype", Annals of Neurology, 37(4):512-518, (1995) American Neurological Association | | | | | | |
| | A28 | Van Gool et al., "Concentrations of Amyloid β protein in cerebrospinal fluid of patients with Alzheimer's Disease", Annals of Neurology, 37(2):277-279, (1995), American Neurological Association | | | | | | |
| |  | A29 | Matsuura et al., "Autosomal dominant spastic paraplegia linked to chromosome 2p: clinical and genetic studies Of a large Japanese pedigree", J. of Neurological Sciences, 151:65-70, (1997), Elsevier Science B.V. | | | | | |
| | EXAMINER  | | | | DATE CONSIDERED 1-3-03 | | | |
| * EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include any copy of this form with next communication to applicant. | | | | | | | | |

| | | | | | | | |
|---|---|---|--|---------------------------------|---------------------------|--------------------------|--|
| Form PTO-1449 (MODIFIED) | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY. DOCKET NO. 018792/0177 | | SERIAL NO. 09/697,590 | |
|  | | | | APPLICANT Fitzpatrick et al. | | | |
| | | | | FILING DATE 10/27/2000 | | GROUP ART UNIT 1643 | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
|  | A30 | Pirttila et al., "Cerebrospinal fluid concentrations of soluble Amyloid β -protein and apolipoprotein E in patients With Alzheimer's disease", Arch. Neurol. 53:189-193, (1996), American Medical Association | | | | | |
| | A31 | Scinto et al., "A Potential noninvasive neurobiological test for Alzheimer's disease", Science 266:1051-1054 (1994), American Association for the Advancement of Science | | | | | |
| | A32 | Growdon et al., "Pupil dilation to tropicamide is not specific for Alzheimer disease", Arch Neurol. 54:841-844 (1997), American Medical Association | | | | | |
| | A33 | Kennard et al., "Serum levels for the iron binding protein p97 are elevated in Alzheimer's disease", Nature Medicine, 2(11):1230-1235 (1996), National Library of Medicine | | | | | |
| | A34 | De la Monte et al., "Characterization of the AD7C-NTP cDNA Expression in Alzheimer's Disease and Measurement of a 41-kD protein in Cerebrospinal fluid", J. Clin. Invest. 100(12):3093-3104, (1997) American Society for Clinical Investigation, Inc. | | | | | |
| | A35 | De la Monte et al., "AD7c-NTP biomarker for Alzheimer's disease", Alzheimer's Reports 2(6):327-332, (1999) National Library of Medicine | | | | | |
| | A36 | Ozturke et al., "Elevated levels of an exocrine pancreatic secretory protein in Alzheimer disease brain", Proc. Nat'l. Acad. Sci., 86:419-423, (1989), Molecular Hepatology Laboratory | | | | | |
| | A37 | De la Monte et al., "Enhanced expression of an Exocrine pancreatice protein in Alzheimer's disease and the Developing human brain", J. Clin. Invest., 86:1004-1013, (1990), Amer. Society for Clinical Invest. Inc. | | | | | |
| | A38 | De la Monte et al., "Increased levels of Neuronal thread protein in cerebrospinal fluid of patients with Alzheimer's disease", Ann Neurol 32(6):733-742 (1992), Amer. Neurological Assoc. | | | | | |
| | A39 | De la Monte et al., "Profiles of Neuronal thread protein expression in Alzheimer's disease", J. Neuro. & Experimental Neurology, 55(10):1038-1050, (1996), American Assoc. of Neuropathologies | | | | | |
| | A40 | De la Monte et al. "Modulation of neuronal thread protein expression with neuritic sprouting: relevance to Alzheimer's disease", J. of Neurological Sciences 138:26-35, (1996), Elsevier Science B.V. | | | | | |
| | A41 | De la Monte et al., "Development patterns of neuronal thread protein gene expression in down syndrome", J. of Neurological Sciences, 135:118-125, (1996), Elsevier Science B.V. | | | | | |
| | A42 | Chong et al., "Automated Microparticle Enzyme Immunoassay for Neural thread protein in cerebrospinal Fluid from Alzheimer's disease patients", J. Clinical Lab. Analysis, 7:379-383 (1992), Wiley-Liss, Inc. | | | | | |
| | A43 | Ghanbari et al., "A sandwich enzyme immunoassay for measuring AD7C-NTP as an Alzheimer's Disease Marker: AD7C Test", J. of Clinical Lab. Analysis 12:223-226 (1998), Wiley-Liss Inc. | | | | | |
| | EXAMINER  | | | | DATE CONSIDERED 1-3-03 | | |
| * EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include any copy of this form with next communication to applicant. | | | | | | | |

| | | | |
|---|--|--|--------------------------|
| Form PTO-1449 (MODIFIED) | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. 018792/0177 | SERIAL NO. 09/697,590 |
|  INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | APPLICANT Fitzpatrick et al. | |
| | | FILING DATE 10/27/2000 | GROUP ART UNIT 1643 |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | |
|  | A44 | HosseinGhanbari et al., Specificity of AD7C-NTPasaBiochemical Marker for Alzheimer's disease", J. of Contemporary Neurology, 1998(4A):2-7, (1998), Massachusetts institute of Technology | |
| | A45 | Kahle et al., "Combined assessment of tau and neuronal thread protein in Alzheimer's disease CSF", Neuro. 54:1498-1504, (2000), American Academy of Neurology | |
| | A46 | Ghanbari et al., "Biochemical Assay for AD7C-NTP in Urine as an Alzheimer's Disease Marker", J. of Clin. Lab. Analysis 12:285-288 (1998), Wiley-Liss, Inc. | |
| | A47 | Fitzpatrick et al., "7C Gold urinary assay of neural thread protein in Alzheimer's disease", Alzheimer's Reports 3(3):155-159 (2000), MSJ | |
| | A48 | G. von Heijne, "Sequence Similarities Homologies, and Alignments", Sequence Analysis in Molecular Biology, pp. 123-139 (1987), Academic Press, Inc. | |
| | A49 | Wikstrom et al., "Computer simulation of weak affinity chromatography", J. of Chromatography 597:83-92 (1992), Elsevier Science Publishers B.V. | |
| | A50 | Fassina et al., "Protein A mimetic peptide ligand for affinity purification of antibodies", J. of Molecular Recog. 9:564-569, (1996), John Wiley & Sons, Ltd. | |
| | A51 | Guerrier et al., "IRIS 97: an innovative protein A-peptidomimetic solid phase medium for antibody purification", J. of Molecular Recognition, 11:107-109, (1998), John Wiley & Sons, Ltd. | |
| | A52 | Palombo et al., "A synthetic ligand for IgA affinity purification", J. of Molecular Recognition, 11:243-246 (1998) John Wiley & Sons, Ltd. | |
| | A53 | Palombo et al., "Affinity purification of mouse monoclonal IgE using a protein A mimetic ligand (TG19318) Immobilized on solid supports", J. of Molecular Recognition, 11:247-249 (1998) John Wiley & Sons, Ltd. | |
| | A54 | Braisted et al., "Minimizing a binding domain from protein A", Proc. Natl. Acad. Sci. 93(12):5688-5692, (1996) Univ of California @ Berkeley | |
| | A55 | Fassina et al., "Immunoglobulin specificity of TG19318: a novel synthetic ligand for antibody affinity purification", J. of Molecular Recog. 11:128-133, (1998), John Wiley & Sons, Ltd. | |
| | A56 | Li et al., "Design, synthesis, and application of a Protein A mimetic", Nature Biotech. 16(2):190-195, (1998) National Library of Medicine | |
|  | A57 | Mayo, "Recent advances in the design and construction of synthetic peptides: for the love of basics or just for The technology of it", TIBTECH 18:212-217, (2000), Elsevier Science Ltd. | |
| EXAMINER  | | DATE CONSIDERED 1-3-03 | |
| * EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include any copy of this form with next communication to applicant. | | | |

| | | | | | | | |
|--|--|---|--|---------------------------------|---------------------------|--------------------------|--|
| Form PTO-1449 (MODIFIED) | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY. DOCKET NO. 018792/0177 | | SERIAL NO. 09/697,590 | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | APPLICANT Fitzpatrick et al. | | | |
| | | | | FILING DATE 10/27/2000 | | GROUP ART UNIT 1643 | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
|  | A58 | Lacy et al., "Identification of FKRT1, FLRT2, and FLRT3: A novel Family of transmembrane leucine-rich Repeat proteins", Genomics 62:417-426, (1999), Academic press | | | | | |
| | A59 | Snellman et al., "A short sequence in the N-terminal region is required for the trimerization of type XIII collagen And is conserved in other collagenous transmembrane proteins", The EMBO Journal, 19(19):5051-5059, 2000 European Molecular Biology Organization | | | | | |
| | A60 | Koide et al., "Conformational requirements of collagenous peptides for recognition by the Chaperone Protein HSP47", J. of Biological Chemistry 275(36):27957-27963, (2000), Amer. Society for Biochem. & Mol. Bio. Inc. | | | | | |
| | A61 | Schittny, "Affinity retardatio chromatography: characterization of the method and its application", Analytical Biochemistry 222:140-148, (1994), Academic Press Inc. | | | | | |
| | A62 | Deisenhofer, "Crystallographic refinement and atomic models of a human Fc fragment and its complex with Fragment B of protein A from Staphylococcus aureus at 2.9- and 2.8-Å resolution", Biochemistry 20(9):2361-2370, (1981), American Chemical Society | | | | | |
| | A63 | Serio et al., "Nucleated Conformational conversion and the replication of conformational information by a Prion Determinant", Science 289(5483):1317-1321, (2000), American Assoc. for the Advancement of Science | | | | | |
| | A64 | Sparrer et al., "Evidence for the prion hypothesis: induction of the yeast [PSI ⁺] factor by in vitro-converted Sup35 protein", Science 289(5479):497-684, (2000), American Assoc. for the Advancement of Science | | | | | |
| | A65 | Kohler & Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, , 256(5517):495-497 (1975), MRC Laboratory of Molecular Biology, UK | | | | | |
| | A66 | Journal of Neurological Sciences, Author Index Volume 151, No. 2, pp. 286-297, National Library of Medicine | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | EXAMINER  | | | | DATE CONSIDERED 1-3-03 | | |
| * EXAMINER: Initial if citation considered, whether or not citation is in conformanc with MPEP 609; Draw line through citation if not in conformance and not considered. Include any copy of this form with next communication to applicant. | | | | | | | |